



AUTO SCRUBBER

I20NB-OB - Self Propelled

BENEFITS

- Orbital scrubbing technology scrubs deeper and more uniformly.
- Oversized 15 gallon solution tank improves working efficiency
- Touch panel control system is state-of-the-art and user-friendly
- Durable die-cast aluminum brush deck
- No tools needed for changing curved squeegee blades
- Variable 66 lb or 99 lb pad pressure
- Delayed vacuum motor shut off eliminates pooling
- Emergency shutdown system for safety



ICE automatic scrubbers and cord electric equipment carry a **5 YEAR WARRANTY**


on all parts and labor with the exception of "wearables" such as brushes, pad drivers, batteries, hoses, belts, and switches.



Downtime is wasted time. Money spent on replacement parts takes away from your bottom line. At ICE, we understand that you use our machines as hard as possible to do your job, and we recognize that sometimes maintenance is a necessity. That's why our auto scrubbers and cord electric equipment come with a **5 year warranty**. We have faith that we put out the best equipment possible, but if anything happens, we're here for you.



**DIE-CAST ALUMINUM
CURVED SQUEEGEE**



UP TO 120 LB OF PAD PRESSURE



EMERGENCY SHUTDOWN SYSTEM

AUTO SCRUBBER

I20NBT-OB Self Propelled

TECHNICAL SPECIFICATIONS:

I20NBT-OB		
Power	watts	Brush Motor: 550 Vacuum Motor: 500
Voltage	volts	24
Working Width	inches (in)	20
Brush Speed	rpm	200
Pad Pressure	pounds (lb)	up to 120
Solutions Flow Rate	GPM	0.11-0.37
Solution Tank Capacity	gal	15
Recovery Tank Capacity	gal	17
Squeegee Width	inches (in)	30
Type of Drive		Transaxle
Max. Speed	meters/min	2.8
Noise Level	dB(A)	<70
Efficiency	ft ² /hour	
Batteries		2x12v, 130 AH @ 20hr
Battery Run Time	hours	3.5
Weight	Kg	95, w/Batteries: 186
Dimension	MM	1300x560x1095

Standard Accessories: Pad Holder, 13 Amp On-board Battery Charger

© 2014 International Cleaning Equipment All rights reserved. United States and International Patents Pending.

Distributed by:

www.InternationalCleaningEquipmentUSA.com

